Docket No.: PALM-3506

Application/Control Number: 09/675,406 Art Unit: 2179

## BEST AVAILABLE COPY

## **Amendments To The Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Currently Amended) A method of managing phone calls initiated from a computing device, the method comprising:

receiving a dial signal in response to a user selecting from a call initiation button of a selectable interface of the computing device to initiate a phone call:

determining whether digits were received from the selectable interface just before the dial signal was received from in response to a user selecting the call initiation button from the selectable interface of the computing device; and

initiating the phone call in response to the dial signal, wherein:

the phone call is placed to a last entered called phone number if digits were not received from the selectable interface of the computing device just before the dial signal was received from in response to the user selecting the call initiation button of the selectable interface, and

the phone call is placed to a phone number corresponding to received digits when the digits are received from the selectable interface of the computing device just before the dial signal was received in response to the user selecting the call initiation button of the selectable interface.

 (Previously Presented) The method of Claim 1, wherein the call signal is received from a hard button of the computing device.

Docket No.: PALM-3506

Application/Control Number: 09/675,406 Art Unit: 2179

- 3. (Previously Presented) The method of Claim 1, wherein the call initiation button is a talk button icon.
- 4. (Previously Presented) The method of Claim 1, further comprising suspending a current application, wherein the current application is unrelated to calling.
- 5. (Canceled)
- 6. (Previously Presented) The method of Claim 1, further comprising: receiving a phone number for the phone call; and searching a memory of the computing device for a name associated with the phone number.
- 7. (Original) The method of Claim 1, further comprising: establishing a connection with another phone device; and initiating a timer configured to clock a duration of the connection with the other phone device.
- 8. (Original) The method of Claim 1, further comprising:

  receiving a phone number for the phone call;

  receiving a save signal to save the phone number; and

  initiating an address entry application in response to receiving the save signal.
- (Original) The method of Claim 7, further comprising:
   receiving an ended connection signal; and
   initiating a lapse time routine in response to receiving the ended connection signal.

Application/Control Number: 09/675,406

Art Unit: 2179

Docket No.: PALM-3506

10. (Currently Amended) A portable computing device having a phone capability and a

display, the computing device comprising:

a selectable interface associated with the display and configured to substantially

emulate a dial pad; and

a selection mechanism configured to receive user selections from the selectable

interface, wherein the selectable interface includes a call initiation button that, when

activated, initiates a phone call to a last entered called phone number if digits were not

received from the selectable interface just before the call initiation button is activated in

response to an action by a user, and the call initiation button, when activated, initiates a

phone call to a phone number corresponding to digits received from the selectable interface

when the digits are received just before the call initiation button is activated in response to

the action by the user.

11. (Previously Presented) The portable computing device of Claim 10, wherein the

computing device is further configured to control phone calls placed and received by the

computing device according to the user selections.

12. (Previously Presented) The portable computing device of Claim 10, wherein the

display is a touch-sensitive screen, and wherein the selection mechanism includes a tap

recognizer configured to identify a tap input from a user.

13. (Previously Presented) The portable computing device of Claim 10, wherein

activation of the call initiation suspends a current application.

input.

Docket No.: PALM-3506

Application/Control Number: 09/675,406 Art Unit: 2179

- 14. (Previously Presented) The portable computing device of Claim 12, wherein the tap recognizer is further configured to initiate a phone call in response to identifying the tap
- 15. (Previously Presented) The portable computing device of Claim 12, wherein the tap recognizer is further configured to initiate an address entry application in response to identifying the tap input.
- 16. (Previously Presented) The portable computing device of Claim 12, further comprising a microphone connected to the computing device, the microphone being configured to receive audio input from a user of the portable computing device, wherein the tap recognizer is further configured to deactivate the microphone in response to identifying the tap input.
- 17. (Currently Amended) A computer-readable medium carrying one or more sequences of one or more instructions for managing a phone call initiated from a computing device, the one or more sequences of one or more instructions including instructions which, when executed by one or more processors, cause the one or more processors to perform the steps of:

displaying a selectable interface in response to a call signal:

receiving a dial signal from in response to a selection, by a user, of a call initiation button on the selectable interface to initiate a phone call:

determining whether digits were received from the selectable interface just before the dial signal was received from in response to the user selecting the call initiation button on the selectable interface; and

initiating the phone call in response to the dial signal, wherein:

BEST AVAILABLE COPY

Application/Control Number: 09/675.406

Art Unit: 2179

Docket No.: PALM-3506

the phone call is placed to a last entered called phone number if digits were not received from the selectable interface just before the dial signal was received from in response to the user selecting the call initiation button of the selectable interface, and

the phone call is placed to a phone number corresponding to received digits when the digits are received from the selectable interface just before the dial signal was received in response to the user selecting the call initiation button of the selectable interface.

- 18. (Previously Presented) The computer-readable medium as recited in Claim 17, wherein the call signal is received from a hard button of the computing device.
- 19. (Previously Presented) The computer-readable medium as recited in Claim 17, wherein the call initiation button is a talk button icon.
- 20. (Currently Amended) The computer-readable medium as recited in Claim 17, wherein the instructions further cause the processor to carry out the step of suspending suspend a current application, wherein the current application is not a calling application.
- 21. (Canceled)
- 22. (Currently Amended) The computer-readable medium as recited in Claim 17, wherein the instructions further cause the processor to earry out the steps of perform: receiving a phone number for the phone call; and

searching a memory of the computing device for a name associated with the phone number.

BEST AVAILABLE COPY

Docket No.: PALM-3506

Application/Control Number: 09/675,406 Art Unit: 2179

- 23. (Currently Amended) The computer-readable medium as recited in Claim 17, wherein the instructions further cause the processor to earry out the steps of perform: establishing a connection with another phone device; and initiating a timer configured to clock a duration of the connection with the other phone device.
- 24. (Currently Amended) The computer-readable medium as recited in Claim 17, wherein the instructions further cause the processor to earry out the steps of perform: receiving a phone number for the phone call; receiving a save signal to save the phone number; and initiating an address entry application in response to receiving the save signal.
- 25. (Currently Amended) The computer-readable medium as recited in Claim 23, wherein the instructions further cause the processor to earry out the steps of perform: receiving an ended connection signal; and initiating a lapse time routine in response to receiving the ended connection signal.

BEST AVAILABLE COPY